

Power for short timber.
Make short work of short
timber! –When you want to
reduce short timber in size fast, the
short timber splitters of Posch are the
right choice for you. No wonder, with
their splitting power of 8 and/or 10 tons.
Fast must also mean safe and
convenient, and that is why the short

HomeSplit Log Splitter

timber splitters have some remarkable
additional extras to offer, such as the
2-hand safety control and the new
timber retainer that secures even
thin and angle-cut wood.


HOME-SPLIT 6.0

SPALTAXT 8

SPALTAXT 8 SPECIAL

SPALTAXT 10 SPECIAL

Advantages at a glance

- ▼ for short timber (up to 55 cm)
and logs up to 1.30 m
- ▼ ease of use and safe
operation with the new timber
retaining tip
- ▼ low-noise hydraulic system
for continuous operation
- ▼ Turbo model for even higher
splitting speed
- ▼ easy to transport thanks to
300 mm Ø solid rubber wheels
- ▼ sturdy, durable design
- ▼  tested safety



Log splitter

Power for short timber



The new timber retaining tip secures thin or angle-cut wood



Ease of operation and safe splitting of short timber



High splitting speed and low-noise hydraulic system for continuous operation



Easy to transport thanks to 300 mm Ø solid rubber wheels. Sturdy and durable design

Home-Split 6.0

ARTICLE NO.	TYPE	DESCRIPTION
M2905	E2,2-400	Driven by 2.2 kW 400 V electric drive, CEE plug, 16 A, splitting power 6.1 t. splitting speed 5.4 cm/s, return speed: 31.1 cm/s, weight: 122 kg
M2906	E2,2-230	Driven by 2.2 kW 230 V electric drive, splitting power 4.5 t. splitting speed 5.4 cm/s, return speed: 25.9 cm/s, weight: 122 kg

Sturdy firewood splitter for short timber; splitting power 6 t. Splits logs up to a **max. length of 55 cm**. Cylinder stroke 540 mm; splitting stroke adjustable. Ideal log diameter: up to 40 cm. Upright operation! Low-noise hydraulic system. Mobile on two solid rubber wheels with a diameter of 250 mm. Motor overload switch and phase inverter as standard equipment.



Home-Split 6.0
E2,2-400

NEW BY POSCH

Log splitter 8

Powerful firewood splitter for short timber; splitting power 7.2 t. Splits timber up to a maximum billet length of 55 cm. The **timber retaining tip** secures even thin or angle-cut wood and allows swift splitting. Cylinder stroke 540 mm. Ideal timber diameter up to 50 cm. Quiet hydraulic system. Mobile on two solid rubber wheels with a diameter of 300 mm. Motor overload switch and phase inverter as standard equipment.

Turbo-model: High-performance splitter for higher splitting speed.

ARTICLE NO.	TYPE	DESCRIPTION
M6140	E4,0-400V Turbo	Driven by 4 kW 400 V electric drive, CEE plug 16 A, splitting power 7.2 t splitting speed 7 cm/s, return speed: 40.6 cm/s
M6142	E3,0-400V	Driven by 3 kW 400 V electric drive, CEE plug 16 A, splitting power 7.2 t splitting speed 5.4 cm/s, return speed: 31.2 cm/s
M6141	E2,2-230V	Driven by 2.2 kW 230 V electric drive, splitting power 5.5 t splitting speed 4.5 cm/s, return speed: 25.9 cm/s



Log splitter: very versatile



Log splitter 8



Adjust the splitting stroke with a flick of your hand



During splitting, billets can be placed on the timber support table.



Log splitter 8 Special

NEW BY POSCH

ARTICLE NO.	TYPE	DESCRIPTION
M6145	E4,0-400V Special Turbo	Driven by 4 kW 400 V electric drive, CEE plug 16 A, splitting power 7.2 t, splitting speed 7 cm/s, return speed: 40.6 cm/s
M6147	E3,0-400V Special	Driven by 3 kW 400 V electric drive, CEE plug 16 A, splitting power 7.2 t, splitting speed 5.4 cm/s, return speed: 30.9 cm/s
M6146	E2,2-230V Special	Driven by 2.2 kW 230 V electric drive, splitting power 5.5 t, splitting speed 4.5 cm/s, return speed: 25.9 cm/s
M6162	PS Turbo Special	Driven by tractor hydraulics, hydraulic sleeve size 3 required for forward and return movement. Splitting power 7.2 t at 250 bar. Complete with connection tubes and hydraulic plug. Unpressurized reverse movement necessary! Three-point linkage, maximum capacity of pump: 16 l/min
M6166	PZG Turbo Special	Driven by tractor, built-in oil pump, 14 l/min at 430 rpm, power consumption 5 kW, splitting power 7.2 t, splitting speed 8 cm/s, return speed: 46 cm/s, three-point linkage, universal-joint shaft required
M6167	PZGE4,0-400 Turbo Special	One machine - two drive options: <ul style="list-style-type: none"> • Driven by tractor, built-in oil pump, 14 l/min at 430 rpm, power consumption 5 kW, splitting power 7.2 t, splitting speed 8 cm/s, return speed: 46 cm/s, three-point linkage, universal-joint shaft required. • Driven by 4 kW electric drive 400 V, CEE plug 16 A, splitting power 7.2 t, splitting speed 7 cm/s, return speed: 40.6 cm/s
M6168	B4,8- Honda Special	Driven by 4.8 kW Honda 4-stroke petrol engine, splitting power 7.2 t, splitting speed 5.3 cm/s, return speed: 30.6 cm/s

Powerful log splitter for short and metre-long logs; splitting power 7.2 t. With the splitting table that can be inserted into the splitter, timber of 100 cm, 82 cm (lower position) and 55 cm (upper position) can be split. The **push-on knife with rollers** comes as a standard feature and saves power for splitting. The timber splits quickly and the rollers on the blade prevent the split wood from jamming when the blade moves back again. The **timber retaining tip** secures even thin or angle-cut wood for easy splitting. Cylinder stroke 540 mm. Ideal timber diameter up to 50 cm. Mobile on two solid rubber wheels of Ø 300 mm. Motor overload switch and phase inverter as standard equipment.

Turbo-model: High-performance splitter for higher splitting speed.



Push-on knife with rollers (F0002544, standard for Special models of log splitters)

Push-on splitting knife with rollers:

The splitting knife developed by Posch makes splitting even very tough timber much easier. It is equipped with special rollers that make the wood slide more easily along the wedge, thereby saving power for splitting.

Advantages: The timber splits more easily. The rollers on the blade prevent split wood from jamming when the blade moves back again.

Convenience package – F0002596, F0002597

The Convenience package with push-on splitting cross for four parts and large timber support table is available as original equipment for Log splitter 8, Log splitter 8 Special and Log splitter 10 Special or can be fitted later.

Accessory parts for Log splitter 8 and Log splitter 8 Special

ARTICLE NO.	DESCRIPTION
F0002543	Push-on splitting cross for 4 parts
F0002544	Push-on Special knife with rollers (standard with Log splitter 8 Special)
F0002596	Convenience package (splitting cross and large support table)
F0002592	Large support table
F0002179	Hour counter for machines with electric drive
F0001806	Hour counter for machines with PZG drive
F0001482	Hour counter for machines with petrol engine
F0002581	Set of wheels, 400 mm Ø solid rubber wheels, pneumatics with tread lugs
F0002527	Base plate for Log splitter 8 Special for a maximum timber length of 1.3 m
F0002576	Three-point linkage cat. I and II (not available for log splitters with petrol engine)
Z2000635	Walterscheid universal-joint shaft



Splitting cross for 4 parts – F0002543
The push-on splitting cross for 4 parts splits the timber into four billets in one go.



The push-on splitting knife with rollers helps to split even tough wood without any problems.




Log splitter 8 Special with three-point linkage (F0002576) and splitting cross (F0002543)

Log splitter 8 Special with three-point linkage (F0002576) and base plate for max. timber length of 1.30 m (F0002527)



Log splitter 8 Special with three-point linkage (F0002576)



Großer Holzaufgabetisch für Spaltaxt 8, Spaltaxt 8 Spezial und Spaltaxt 10 Spezial (F0002592)



Log splitter 10 Special

NEW BY POSCH

ARTICLE NO.	TYPE	DESCRIPTION
M6175	E4,0-400V Turbo Special	Driven by 4 kW 400 V electric drive, CEE plug 16 A, splitting power 9.3 t, splitting speed 6.7 cm/s, return speed: 28.2 cm/s
M6172	E3,0-400V Special	Driven by 3 kW 400 V electric drive, CEE plug 16 A, splitting power 9.3 t, splitting speed 4.9 cm/s, return speed: 20.5 cm/s
M6171	PS Turbo Special	Driven by tractor hydraulics, hydraulic sleeve size 3 required for forward and return movement. Splitting power 9.3 t at 225 bar. Complete with connection tubes and hydraulic plug. Unpressurized reverse movement necessary! Three-point linkage, maximum capacity of pump: 16 l/min
M6176	PZG Turbo Special	Driven by tractor, built-in oil pump, 18 l/min at 430 rpm, power consumption 5.5 kW, splitting power 9.3 t, splitting speed 7.6 cm/s, return speed: 32 cm/s, three-point linkage, universal-joint shaft required
M6177	PZGE4,0-400 Turbo Special	One machine - two drive options: <ul style="list-style-type: none"> • Driven by tractor, built-in oil pump 18 l/min at 430 rpm, power consumption 5.5 kW, splitting power 9.3 t, splitting speed 7.6 cm/s, return speed: 32 cm/s, three-point linkage. • Driven by 4 kW 400 V electric drive, CEE plug 16 A, splitting power 9.3 t, splitting speed 6.7 cm/s, return speed: 28.2 cm/s, universal-joint shaft required
M6179	B8,1-Honda Turbo Special	Driven by 8.1 kW Honda 4-stroke petrol engine, splitting power 9.3 t, splitting speed 6.6 cm/s, return speed: 28.1 cm/s

The ideal hydraulic firewood splitter for home, farm and industrial use. Splits timber with a splitting power of 9.3 t. The **push-on Special knife with rollers** saves power for splitting. The timber splits quickly and the rollers on the blade prevent the split wood from jamming when the blade moves back again. The **timber retaining tip** secures even thin or angle-cut wood for easy splitting. With the splitting table that can be inserted into the splitter, timber of 100 cm, 82 cm (lower position) and 55 cm (upper position) can be split. Cylinder stroke 540 mm. Ideal timber diameter up to 50 cm. Mobile on two solid rubber wheels of Ø 300 mm. Quiet hydraulic system for continuous operation.

Turbo model: High-performance splitter for higher splitting speed.



Log splitter 10 Special with splitting table to insert, push-on splitting knife with rollers and three-point linkage (F0002577)



Log splitter 10 Special with three-point linkage (F0002577)

Accessory parts for Log splitter 10 Special

ARTICLE NO.	DESCRIPTION
F0002545	Push-on splitting cross for 4 parts
F0002597	Convenience package (splitting cross and large support table)
F0002592	Large support table
F0002179	Hour counter for machines with electric drive
F0001806	Hour counter for machines with PZG drive
F0001482	Hour counter for machines with petrol engine
F0002581	Set of wheels, 400 mm Ø solid rubber wheels, pneumatics with tread lugs
F0002535	Base plate for Log splitter 10 Special
F0002577	Three-point linkage cat. I and II (not available for log splitters with petrol engine)
Z2000635	Walterscheid universal-joint shaft



Log splitter 10 Special with splitting table to insert (standard) and base plate for max. timber length of 1.30 m (F0002535)



Easy to transport: Log splitter 10 Special with three-point linkage (F0002577)



Conditions of Sale and Delivery

I. General

1. Unless otherwise expressly agreed in writing, the present General Conditions shall apply.

II. Conclusion of contract

1. The contract is considered as concluded when the Seller dispatches a written order confirmation on receipt of the order.

2. Modifications and amendments to the contract require the written confirmation of the Seller to be effective.

3. The offers of the Seller are without obligation; subject to prior sale.

III. Plans and documents

1. Technical information, data, pictures, illustrations and description of performance are approximate and not binding.

IV. Packaging

1. All prices indicated are for unpacked and unloaded goods ex works Leibnitz.

V. Transfer of risks

1. All goods are considered sold ex works.
2. A delivery is considered as effected when the object of delivery has been handed over to the carrier or forwarding agent. Loading and dispatch are in any case at the risk of the Buyer, even if the conditions of delivery are "carriage paid to" or "free recipient".

VI. Call

1. Goods ordered to be supplied on call are to be delivered and paid as sold after expiration of the calling date without any further notice.

VII. Time of delivery

1. The time of delivery starts on the date of order, unless the Buyer changes the order for delivery.

2. The Seller shall be entitled to carry out partial or early deliveries. The Seller reserves the right to modifications even during the time of delivery. In the case of deterioration of the credit standing of the Buyer, the Seller shall be entitled to rescind in part or in full from the contract.

3. Should the Buyer rescind from the purchase for what reason whatsoever after the order has become legally binding, the Seller shall be entitled to charge a cancellation fee of 10% of the sales price of volume products, and in the case of customised products also the production costs incurred, with any parts already produced being made available to the Buyer.

4. If the Seller causes a delay in delivery (see item XI.), the Buyer is entitled either to demand fulfilment of the order or to rescind from the contract subject to granting an appropriate period of grace. The notice of rescission of the contract shall in any case be made by registered mail addressed to the Seller, in which case the Buyer shall be entitled to reclaim the full amount of any down payments made but without claiming any interest.

VIII. Price

1. All prices are without obligation ex works of Seller; if supply including delivery to Buyer's premises is agreed, prices are without unloading and further handling.
2. All prices indicated are based on the costs at the time

of price quotation. Changes in costs occurring up to the time of delivery shall be credited to or borne by the Buyer.

IX. Payment

1. All payments shall be made exclusively in the sense of the agreed conditions of payment to the Seller.

2. The Buyer shall not be entitled to withhold payment because of warranty claims or other claims not accepted by the Seller.

3. If the Buyer is in delay with agreed payments, the Seller can:

- postpone the fulfilment of his obligations
- extend the delivery time;
- accelerate the due time of the unpaid part of the purchase price, and
- charge interest on payments in arrears as from the due date, or rescind from the contract after an appropriate period of grace.

4. Until all payment obligations have been met by the Buyer, the Seller reserves the title to the object of the delivery contract. In the case of seizure of property of other use, the Buyer is obliged to claim the title of the Seller accordingly and to inform the latter immediately.

5. If payment is not effected on the due date, the usual annual interest on arrears charged by banks shall be charged for each month commenced.

6. In the case of delay in payment any reminder and collection expenses shall be borne by the Buyer.

7. In the case of delay in payment, any discounts granted expire.

X. Warranty

1. According to the provisions below, the Seller shall grant the Buyer – if the latter is an entrepreneur as defined in the Austrian Enterprises Code (Unternehmensgesetzbuch) – a warranty for any defects occurring during the first 12 months of delivery with regard to usability and design of the goods supplied. If the Buyer is a consumer in the meaning of the Consumer Protection Act, the guarantee period shall be 24 months. The Buyer shall give written notice of warranty claims within eight days upon receipt. The inspection report of the factory shall be decisive proof of the defects.

It is expressly agreed that the Seller is liable to the Buyer only for replacement or maintenance of the defective goods (parts). The Buyer shall not be entitled to change or reduction of the purchase price. Claim for indemnification shall only arise from serious default of the manufacturer, but not from consequential harm caused by a defect or other consequential or indirect damage.

The Seller has the option to:

- rectify the defect on site;
- have the defective good or faulty part returned carriage paid to its works for repair;
- replace the faulty or defective parts.

Goods or partial deliveries may only be returned after approval by the Seller with regard to repair or replacement has been obtained. The repair of defects through the Seller shall have no influence on the warranty period.

2. After replacement or repair, the Seller returns goods or parts claimed to be defective carriage unpaid to the Buyer.

3. The Buyer shall not be entitled to demand reimbursement from the Seller for repair of defects carried out by himself.

4. The Seller accepts liability for parts of the goods supplied by subcontractors only to the extent they are covered by warranty claims he is entitled to vis-à-vis his subcontractors.

5. The Seller cannot be made liable by the Buyer for damage caused by the removal or change of the protective devices included in the delivery.

XI. Reasons of release from obligations

1. The Seller can claim reasons of release if after the conclusion of the purchasing agreement, unemployment, elementary damage, mobilisation, seizure, embargoes, strikes and events of Force Majeure occur.

2. Interruptions in the supply of coal, oil, power and input materials – which make it difficult or impossible for the Seller to meet his obligations – shall also entitle the Seller to discontinue deliveries for the time of these interruptions and an appropriate time required to pick up production again, or to rescind from the contract with regard to obligations that cannot be fulfilled.

3. Place of jurisdiction for all disputes arising from this contract, including actions on bill and cheques, shall be Leibnitz, with the Seller being entitled to appeal to any other court as well. Austrian law applies under explicit exclusion of the provisions of the UN Sales Convention.

4. Each purchase order shall be subject to the law of the Seller's country.

5. Place of delivery and payment is the place of headquarters of the Seller, even in cases when delivery or payment is made at another place according to agreement.

XII. Laesio enormis

1. Rescission of the contract for reasons of laesio enormis is excluded by both Parties.

XIII. Deliveries to foreign countries

1. Machines must not be sold to foreign countries without the prior approval of the Seller.

NOTE

If individual parts supplied as standard equipment (protective devices, V-belt pulleys, etc.) are returned, only 50% of the spare part price can be credited.

When machines and replacement parts are exchanged, the return delivery must be freight cost paid.

Customised parts or products cannot be returned.

XIV. Liability in accordance with the Product Liability Act

The Buyer explicitly waives the claim for damages for property damage suffered in the framework of his company.

If the Buyer sells the object of the contract to a third company he agrees to extend the above waiver in accordance with §9 Product Liability Act to the other entrepreneur. If he fails to do so, the Buyer agrees to hold the Seller harmless and to indemnify him for all costs incurred in connection with a no-fault liability.

If the Buyer himself is made liable in the context of the Product Liability Act, he waives the right of recourse vis-à-vis the Seller.



Posch head office in Leibnitz, southern Styria, Austria



Posch subsidiary in Velden/Vils, Bavaria, Germany

Posch Austria

Headquarters

POSCH Gesellschaft m.b.H.
Paul-Anton-Keller-Straße 40
A-8430 Leibnitz
Phone: +43 (0) 3452/82954
Fax: +43 (0) 3452/82954-52
e-mail: leibnitz@posch.com
www.posch.com

Sales & Consulting

Elfriede Oswald, Heidemarie Lambauer
Phone: +43 (0) 3452/82954
e-mail: export@posch.com

Posch Germany

Subsidiary in Velden/Vils

POSCH Gesellschaft m.b.H.
Preysingallee 19
D-84149 Velden/Vils
Phone: +49 (0) 8742/2081
Fax: +49 (0) 8742/2083
e-mail: velden@posch.com
www.posch.com



Ask for our free product videos.
Order your free DVD from:
www.posch.com/en/infomaterial

Welcome to Posch!

www.posch.com